

## CLAIM AMENDMENTS

1. (canceled)

2. (canceled)

3. (currently amended): The computer corner section of claim + 29 further including an aperture through said work surface sized in diameter to permit a plurality of computer component line cords to pass therethrough.

4. (currently amended): The computer corner section of claim + 3 including wire management means disposed on the underside of the work surface adapted to receive wiring from both of a the control switch and from the surge protection unit wherein the wire management means are two J-shaped channels each mounted at a 90° angle to each other.

5. (canceled)

6. (canceled)

7. (canceled)

8. (canceled)

9. (canceled)

10. (canceled)

11. (canceled)

12. (currently amended): The advanced computer desk corner section of claim + 29 wherein the work surface is wood.

13. (currently amended): The advanced computer desk corner section of claim + 29 wherein the work surface is covered with high pressure laminate.

14. (currently amended): An advanced computer corner desk comprising:

a corner section comprising a pentagonal work surface having a top side and an underside with a front edge, two side edges in which each one is on the opposite ends of the front edge and disposed at a 45° angle to said front edge, and two rear edges which meet at a 90° angle, the extension of the side edges being less than the extension of the rear edges;

a keyboard platform mounted beneath said front edge and which moves outwardly from said front edge for utilization and sized in one dimension at up to about 27 inches to receive both a (104) key keyboard and an adjacent mouse pad;

the underside of said work surface having a control switch electrically connected to a surge protector unit having a plurality of electrical outlets therein for said switch to electrically activate or deactivate the surge protector, said surge protector having a line cord and plug thereon; and

1           said work surface having an aperture therethrough near the 90° angle at the rear corner  
2 thereof,

3           further including adjacent furniture components on at least one side of said corner section,  
4 wherein such adjacent furniture components have a work surface having a front edge parallel to  
5 a ~~back~~ rear edge, a side edge normal to said front and rear edge, and an oblique edge at a 45°  
6 angle to said front edge thereof, said component when in position abutting said corner section,  
7 having its oblique edge intersecting the front edge of said corner section at a 90° angle;

8           wherein the extension of each of the respective side edges of said corner desk section is  
9 dimensionally smaller than the extension of the respective side edge of any adjacent furniture  
10 component that is the distant side edge from the said corner desk and is not the side edge that  
11 abuts the front edge of said corner desk,

12           and further wherein at least one of said adjacent furniture components has a rear wall  
13 disposed beneath the rear edge of the work surface, inset from the rear edge of the work surface  
14 to permit wiring to be hiddenly disposed behind the inset rear wall.

15           15. (canceled)

16           16. (currently amended): The computer corner ~~section~~ desk of claim ~~15~~ 14 wherein said  
17 adjacent furniture components comprise shelf members and wherein said work surface is selected  
18 from the group consisting of wood and high pressure laminate.

19           17. (canceled)

20           18. (canceled)

21           19. (canceled)

22           20. (currently amended): The corner desk of claim ~~19~~ 14 wherein at least one inset rear  
23 wall ~~modesty panel~~ includes a wire grommet therein.

24           21. (canceled)

25           22. (canceled)

26           23. (currently amended): The corner desk of claim ~~22~~ 14 wherein there is a shelf  
27 disposed beneath the corner work surface , and said work surface is selected from the group  
28 consisting of wood and high pressure laminate.

29           24. (canceled)

30           25. (canceled)

31           26. (currently amended): An advanced computer corner desk comprising a corner  
32 section having a pentagonal work surface having a top side and an underside,

33           said work surface having a front edge and two side edges, each on the opposite ends of

1 the front edge and each disposed at a 45° angle to said front edge and having two rear edges  
2 which meet at a 90° angle, the extension of the side edges being less than the extension of the  
3 rear edges;

4 a keyboard platform mounted beneath said front edge and which infinitely adjusts up and  
5 down and tilts to a negative or positive position and which keyboard platform is sized in one  
6 dimension at up to about 27 inches to receive both a (104) key keyboard and an adjacent mouse  
7 pad; and

8 wherein the side edges of said desk section range in extension from a front side edge from  
9 about 14 to 16 inches to said rear edges,

10 including adjacent furniture components on ~~at least one side~~ both sides of said corner  
11 section, each of which has a work surface, and wherein such adjacent furniture components have  
12 a front edge parallel to a back edge, a side edge normal to said front and rear edges, and an  
13 oblique edge at a 45° angle to said front edge thereof, said component when in position abutting  
14 said corner section and said component having its oblique edge intersecting the front edge of said  
15 corner section at a 90° angle,

16 and wherein the extension of the respective side edges of said corner desk section is  
17 dimensionally smaller than the extension of the respective side edge of any adjacent furniture  
18 component that may be used therewith, which prospective side edge would be the distant side  
19 edge of such furniture component from the side of said corner desk section, and would not be the  
20 side edge that would abut the front of said corner desk,

21 and further wherein at least one of said adjacent furniture components has a rear wall  
22 disposed beneath the rear edge of its work surface, inset from the rear edge of the work surface  
23 to permit wiring to be hiddenly disposed behind the inset rear wall.

24 27. (canceled)

25 28. (canceled)

26 29. (currently amended): An advanced computer desk as in claim 26 ~~comprising a corner~~  
27 ~~section comprising a pentagonal work surface having a top side and an underside with a front~~  
28 ~~edge and two side edges, each on the opposite ends of the front edge disposed at a 45° angle to~~  
29 ~~said front edge and two rear edges which meet at a 90° angle, the extension of the side edges~~  
30 ~~being less than the extension of the rear edges;~~

31 a keyboard platform mounted beneath said front edge and which infinitely adjusts up and  
32 down and tilts to a negative or positive position and sized in one dimension at about 22 inches;  
33 wherein the underside of said work surface having has a control switch electrically connected to

1 a surge protector unit having a plurality of electrical outlets therein, for said switch to electrically  
2 activate or deactivate the surge protector,

3 said surge protector having a line cord and plug thereon, ~~and said work surface being~~  
4 ~~adapted for support by adjacent furniture components, and a pair of adjacent furniture~~  
5 ~~components, one on each side of said work surface, and~~

6 ~~wherein the extension of each of the respective side edges of said corner section is~~  
7 ~~dimensionally smaller than the extension of the respective side edge of any adjacent furniture~~  
8 ~~component used therewith that is the distant side edge from the said corner desk and is not the~~  
9 ~~side edge that abuts the front edge of said corner desk.~~

10 30. (canceled)

11 31. (canceled)

12 32. (canceled)

13 33. (currently amended): The corner desk of claim 31 ~~14~~, wherein the keyboard platform  
14 mounted beneath the front edge of the corner section infinitely adjusts up and down and tilts to  
15 a negative or positive position ~~and sized in one dimension at about 27 inches to receive both a~~  
16 ~~(104) key keyboard and an adjacent mouse pad; and~~

17 the underside of said work surface has a control switch electrically connected to a surge  
18 protector unit having a plurality of electrical outlets therein, for said switch to electrically activate  
19 or deactivate the surge protector, said surge protector having a line cord and plug thereon.

20 34. (canceled)

21 35. (currently amended): The corner desk of claim 34 ~~29~~, wherein the underside of said  
22 corner sections's work surface has a control switch electrically connected to a surge protector  
23 unit having a plurality of electrical outlets therein;

24 said work surface having an aperture there through near the 90° angle at the rear corner  
25 thereof with a grommet disposed in said aperture.

26 36. (canceled)

27 37. (currently amended): The corner desk of claim 36 ~~26~~, wherein one of said adjacent  
28 furniture components comprises a set of drawers.

29 38. (canceled)

30 39. (currently amended): The advanced corner computer desk of claim 36 ~~26~~, wherein  
31 each adjacent furniture component is selected from the group consisting of bookcases and  
32 cabinets.